



# CITRUS-TO-GROW™

Is a foliar energy booster containing macro and chelated microelements. It improves prevention of alternative bearing, stimulates reproductive growth, helps protect the plant against stress, supplies nutrients and increases yield and fruit quality.

## FOLIAR SPRAY AND GROWTH STIMULANT

(N% - P% - K% - S%)  
(4 - 15 - 7 - 5)



### ACTIVE INGREDIENT

Element	%W/W	g/kg	Element	%W/W	mg/kg
Nitrogen (N)	4.4	44	Zinc (Zn)	0.230	2300
Phosphate (P)	15.2	152	Boron (B)	0.145	1450
Potassium (K)	7.2	72	Manganese (Mn)	0.145	1450
Sulphur (S)	4.7	47	Iron (Fe)	0.100	1000
Magnesium (Mg)	3.2	32	Copper (Cu)	0.051	510
			Molybdenum	0.028	280

Batch number:

Date of manufacture:

## 25 KG

Agri Technovation NZ Ltd  
27A Wicklam Lane,  
Greenhithe  
Auckland 0632

[info@agritechnovation.co.nz](mailto:info@agritechnovation.co.nz)  
[www.agritechnovation.co.nz](http://www.agritechnovation.co.nz)

**Manufactured in New Zealand**

Product information and crop recommendations provided on this label are only valid for New Zealand.



# CITRUS-TO-GROW™

## GENERAL INFORMATION

CITRUS-TO-GROW™ is a foliar formulated specifically for citrus containing macro and chelated micro elements. For optimum results CITRUS-TO-GROW™ should be used in a balanced plant nutrition programme. Consult with a qualified horticulturist, agronomist or your chemical distributor, consultant or the registration holder should crop specific programmes be required, or if any additional information or guidance is required concerning the use of this product. Recommendations should be based on soil and leaf analyses.

## APPLICATION RATES

Growth Stage	g/100 liters of water	Maximum Rate per Hectare
Bearing trees	500g	15kg
First Spray: Pre-and post harvest (around March, April and May)		
Second Spray: At budburst		
Third Spray: End January		

## DIRECTIONS FOR USE

- To get optimum results with this product, make sure the pH value of the mixture in the tank is between 5 - 6.
- Do not exceed the appropriate application rates.
- Avoid application under extreme conditions such as temperatures above 30°C, wind speed exceeding 8 km/h or wilting conditions.
- Wear suitable protective clothing.
- Clean equipment before and after use.

## MIXING

Always mix CITRUS-TO-GROW™ with sufficient quantities of water. Never apply CITRUS-TO-GROW™ undiluted. Follow standard tank mixing procedures. Ensure good agitation throughout application.

## WARNING

Avoid contact with eyes. Keep out of reach of children. If swallowed seek medical advice. Do not swallow. The dust from this product may act as an irritant. Avoid inhalation and contact with the eyes and skin.

## COMPATIBILITY

It is advisable to consult with a certified agrochemical specialist. Always perform a standard jar test before mixing to ensure compatibility of products to be used in a tank mixture.

## CAUTION

Do not store in direct sunlight. Store the product inside at room temperature. This is a blended fertiliser in which some segregation of the ingredients may occur that may lead to some variation from the stated analysis.

## CONDITIONS OF SALE

Every care is taken during the manufacture of this product. However, as environmental conditions can vary considerably, no responsibility can be taken by the manufacturer, importer or his agents for any injury, damage, loss or other results following the use or misuse of this product.

**Product information and crop recommendations provided on this label are only valid for New Zealand.**

New Zealand Poison Hot-line number: 0800 764 766

