QELPO™

HIGHLY CONCENTRATED PURE LIQUID KELP

NUTRIENT ANALYSIS

Element	%W/V	g/ l
Nitrogen (N)	0.8%	8
Potassium (K)	1.7%	17
$pH = 3.80 \pm 0.2$		

SG (@ 20° C) = 1.05 ± 0.02

20L 200L 1000L

۲



Agri Technovation Ltd 27A Wicklam Lane, Greenhithe Auckland 0632 09 954 5411

info@agritechnovation.co.nz www.agritechnovation.co.nz Manufactured in South Africa Not available in USA







۲

GENERAL INFORMATION

Consult with a certified horticulturist, agronomist or your crop advisor, consultant, or the registration holder should crop specific programmes be required, or if any additional information or guidance is required concerning the use of this product. Suitable in combination with other nutrients. For optimum results QELPO[™] should be used in combination with a fertiliser programme. Recommendation should be based on soil and leaf analyses.

DIRECTIONS FOR USE

- For improved uptake, spray in the early morning or evening, and avoid spraying during the heat of the day.
- Wear suitable protective clothing when sprayed with other products.
- Do not apply through filters smaller than 100 micron.
- Soil application: For soil application, use 5 to 7ℓ of concentrate per ha. Dilute with water prior to use. Apply through irrigation system or spray on the soil surface with a boom spray. Do not dilute.
- Foliar application: For best results, apply when plants have sufficient leaf area. Dilute 1 part QELPO[™]

concentrate with 200 parts of water. Apply 2 - 5 ℓ per hectare. Optimum results with this product is obtained if the pH of the tank mix is between 5 and 6.

 Seed treatment: 2ℓ per 500 kg of seed. Do not store treated seeds.

MIXING

Shake well before use. Always mix QELPO[™] with sufficient quantities of water. Never apply QELPO[™] undiluted. Follow standard tank mixing procedures. Ensure good agitation throughout application.

COMPATIBILITY

It is advisable to consult with a certified agrochemical specialist. Always perform a standard jar test prior to mixing to ensure compatibility of products to be used in tank mixture.

WARNING

Avoid contact with eyes. Keep out of reach of children. If swallowed seek medical advice. Do not swallow. The spray from this product may act as an irritant. Avoid inhalation and contact with the eyes and skin. Users are encouraged to seek further advice.

 $(\mathbf{0})$

CAUTION

Do not store in direct sunlight. Store the product inside at room temperature. This is a blended fertiliser in which some segregation of the ingredients may occur that may lead to some variation from the stated analysis.

CONDITIONS OF SALE

Every care is taken during the manufacturing of this product. However, as environmental conditions can vary considerably, no responsibility can be taken by the manufacturer, importer or his agents for any injury, damage, loss or any other detrimental effects following the use or misuse of this product. Should this product not meet your expectations, please contact your fertiliser supplier before use. Before using this product seek appropriate agronomic advice.

Product information and crop recommendations provided on this label are only valid for New Zealand.

New Zealand Poison Hot-line number: 0800 764 766



Batch number:

Date of manufacture:

APPLICATION RATES

Application	Maximum Rate per Hectare*	Additional Information	
Soil application	5 - 7 l	Apply through irrigation system or spray on the soil surface with a boom spray.	
Foliar application	2 - 5 l	Optimum results with this product are obtained if the pH of the tank mix is between 5 and 6.	
Seed treatment	2ℓ per 500 kg of seed	Do not store treated seeds.	

* Maximum rates are dependent on crop size.

QELPO™ _____