PRINT DATE :

REVISION DATE : 24.04.12

VERSION : 1.0 / EN (New Zealand)





# **SECTION 1: Identification of the substance and of the company**

#### 1.1 Product identifier:

Substance

**Substance name** : MANGANESE PHLOEM ™

Other means of identification : Not applicable.

Hazard components for labelling : Manganese Sulphate

1.2 Relevant Identified uses

Relevant identified uses: : Fertilizer

**Uses advised against** : Not for consumption.

1.3 Details of the supplier of the safety data sheet

Supplier

Name : Agri Technovation (Pty) Ltd

Address : Agri Business Park, 5 Louw Street,

Wellington Industrial Area

South Africa

7654

**Telephone** : (+27) 21 300 0543

(+64) 27 620 0567

E-Mail : info@agritechnovation.co.za

## 1.4 EMERGENCY TELEPHONE NUMBER

National Poisons and Hazardous Chemicals Information Centre

Dunedin Phone: 0800 POISON (0800 764-766)

24 hr Emergency Response: 0800 CHEMCALL (0800 243 622)

## **SECTION 2: Hazard identification**

### 2.1 Classification of the substance

| Classification according to ST/SG/AC.10/30/REV.10              | Classification procedure          |  |
|--|-----------------------------------|--|
| Serious eye damage, Category 1                                 | Based on concentration threshold. |  |
| Specific Target Organ Toxicity (repeated exposure), Category 2 | Based on concentration threshold. |  |
| Hazardous to the aquatic environment, Chronic Category 2       | Based on concentration threshold. |  |

according to ST/SG/AC.10/30/REV.10

Trade name: MANGANESE PHLOEM

Product No: N/A

Version: 1.0 / EN (New Zealand) Revision date: 24.04.12

Print date:

#### 2.2 Label elements

Labelling according to ST/SG/AC.10/30/REV.10

### Hazard pictograms







### Signal word:

Danger

## **Hazard statements:**

Causes serious eye damage. May cause damage to the organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

# **Precautionary statements:**

Wear eye protection or face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor to specify the appropriate source of emergency medical advice. Do not breathe fumes, mist, vapours or spray. Get medical advice if you feel unwell. Avoid release to the environment. Collect spillage. Dispose of contents according to local regulations.

## **Supplemental Hazard information:**

No supplementary hazard information.

## Special rules for supplemental label elements for certain mixtures:

None known.

# Additional labelling:

Keep out of reach of children.

### 2.3 Other hazard

None known.

## **SECTION 3: Composition/Information on ingredients**

#### 3.1 Substances

Not applicable.

# 3.2 Mixture

## Description of the mixture:

Aqueous blend of manganese compounds.

## **Hazardous ingredients**

| Substance          | CAS        | Concentration | Classification according to ST/SG/AC.10/30/REV.10   |
|--------------------|------------|---------------|---|
| name               | number     |               |   |
| Manganese Sulphate | 10034-96-5 | >40%          | Serious eye damage, Category 1                      |
|                    |            |               | Specific Target Organ Toxicity (repeated exposure), |
|                    |            |               | Category 2  |
|                    |            |               | Hazardous to the aquatic environment, Chronic       |
|                    |            |               | Category 2  |

#### according to ST/SG/AC.10/30/REV.10

Trade name: MANGANESE PHLOEM

Product No: N/A Print date:

Version: 1.0 / EN (New Zealand) Revision date: 24.04.12

This mixture does not, within the current knowledge of the supplier, contain further substances above their cut-off concentration limit fulfilling the criteria of hazard classes according to the ST/SG/AC.10/30/REV.10 regulation or present a health risk below the cut-off concentration limit. Substances that do not fall within classification criteria are not specified in this document to protect confidentiality.

### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### **General information**

Take precautions to ensure your own safety when helping another person. Always wear appropriate personal protective equipment (see Section 8). If medical advice is needed, have Safety Data Sheet or product label at hand and provide treatment already administered.

### **Following inhalation**

Get medical advice if you feel unwell.

#### Following skin contact

Immediately take off all contaminated clothing, shoes, and leather goods. Rinse skin with plenty of lukewarm, gently flowing water or shower for at least 10 to 20 minutes. Wash contaminated clothing before re-use or discard. If skin irritation occurs: Get medical advice/attention.

#### Following eye contact

Immediately call a POISON CENTRE, doctor or physician. Rinse the affected eye cautiously with lukewarm, gently flowing water for several minutes, while holding eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for 60 minutes or until medical aid is available. Take care not to rinse contaminated water into unaffected eye or onto face.

## **Following ingestion**

If exposed or if you feel unwell, get medical advice.

#### Self-protection of the first aider:

No additional information.

# 4.2 Most important symptoms and effects, both acute and delayed.

No information available on this product.

## 4.3 Indication of any immediate medical attention and special treatment needed.

No information available on this product.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media: If possible, use: Carbon Dioxide, foam or dry extinguishing media.

## 5.2 Special hazards arising from the substance or mixture

Substance is non-combustible.

#### 5.3 Advice for fire-fighters

Wear self-contained breathing apparatus and special tightly sealed suit. Cool surrounding containers with water spray. If possible, take container out of danger zone. Shut off sources of ignition. Do not allow runoff to get into sewage system. Rise in pressure and risk of bursting when heating. Contain vapours with water spray.

#### according to ST/SG/AC.10/30/REV.10

Trade name: MANGANESE PHLOEM

Product No: N/A Print date:

Version: 1.0 / EN (New Zealand) Revision date: 24.04.12

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment, and emergency procedures

#### **Protective equipment**

Wear respiratory protection, eye protection, hand protection and body protection.

See section 8.2 of this SDS.

## **Emergency procedures**

Evacuate all individuals. Warn surrounding areas. Isolate the area. Put protective measures in place. Only individuals with suitable personal protective equipment should be allowed into the affected area. Remove the source if safe to do so and provide adequate ventilation in closed spaces. Wash spill area.

## 6.2 Environmental precautions

Low hazard to water. Inform the responsible authorities when very large quantities get into water, drainage, sewer, or the ground.

## 6.3 Methods and material for containment and cleaning up

#### For containment

Use suitable closed, labelled containers for disposal in accordance with national and local regulations. The floor must not have a floor drain.

#### For cleaning up

Use suitable protective equipment while cleaning if necessary. See section 8.2 of this SDS. Wipe clean with cloth or paper towel. Tested industrial vacuum cleaner or suction device can be used as alternative. Use of blower for cleaning is not recommended.

## 6.4 Reference to other sections

See section 8.2 for information on personal protective.

See section 13 for disposal methods.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

## **Protective measures**

Heed advice on general occupational hygiene. Fill only into clearly marked containers. Label containers and pipelines clearly. Provide good ventilation in work areas. Used closed apparatus if possible. Washing facility at the workplace is required. Eye bath required. These locations must be sign posted. If release of the product can't be prevented, then it should be suctioned off at the point of exit.

### Fire preventions

Keep away from sources of ignition. Firefighting equipment must be available. Inspect the electrical fittings regularly against the higher risk of corrosion. Keep away from open flames. No welding in working area. Keep away from combustible materials.

#### Advice on general occupational hygiene

Take care to keep workplace clean and dry. Wear personal protective equipment. Avoid skin contact with product. Do not leave container open.

Wash skin with soap and water before breaks and at the end of work shifts and apply fatty skin-care products after washing. Foods, beverages, and other articles of consumption must not be consumed at the work areas. Suitable areas are to be designated for these purposes. Remove contaminated clothing and protective equipment before entering eating areas.

## according to ST/SG/AC.10/30/REV.10

Trade name: MANGANESE PHLOEM

Product No: N/A Print date:

Version: 1.0 / EN (New Zealand) Revision date: 24.04.12

## 7.2 Conditions for safe storage, including any incompatibilities

# **Technical measures and storage conditions**

Transport in sealed containers above 4°C. Store in dry, ventilated place in tightly sealed container above 4°C.

## Requirements for storage rooms and vessels

Do not use any food containers to prevent a mistake. Containers must be labelled clearly and permanently. Store in the original container as much as possible. Container should be locked up, away from children.

#### Packaging materials

Glass, PE, PP and PVC.

#### Materials to avoid

- Pharmaceuticals, foods, and animal feeds including additives.
- Infectious, radioactive und explosive substances.
- Strongly oxidizing substances.
- Most metals

#### 7.3 Specific end uses

See section 1.2. No additional information.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

The mixture does not, within the current knowledge of the supplier, contain substances above their cut-off concentration limit fulfilling the criteria of hazard classes according to the ST/SG/AC.10/30/REV.10 regulation or present a health risk below the cut-off concentration limit. Substances that do not fall within classification criteria are not specified in this document to protect confidentiality.

#### 8.2 Exposure controls

## Appropriate engineering controls

All ventilation should be designed in accordance with OSHA standard. Use local exhaust at filling zones and where leakage and dust formation are probable. Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below limits.

# **Components with occupational exposure limits**

None

#### Personal protective equipment

### Eye / Face protection

Wear glasses with side protection.

#### Skin protection

Hand protection

## Suitable gloves type

The use of resistant protective gloves is recommended. Skin protection cremes do not protect as effectively against the substance as protective gloves.

## Suitable material

- Natural rubber/Natural latex NR (19.7 mil) (use non-powdered and allergen free products)
- Polychloroprene CR (19.7 mil)
- Nitrile rubber/Nitrile latex NBR (13.8 mil)

### according to ST/SG/AC.10/30/REV.10

Trade name: MANGANESE PHLOEM

Product No: N/A Print date:

Version: 1.0 / EN (New Zealand) Revision date: 24.04.12

■ Butyl rubber - Butyl (19.7 mil)

Fluoro carbon rubber - FKM (15.7 mil)

Polyvinyl chloride - PVC (19.7 mil)

In case of doubt contact the gloves' manufacturer.

Wear duration with occasional contact (splash): 8 hours

Be aware that the liquid may penetrate gloves. Frequent change is advisable.

# **Body protection**

Wear an overall or a lab coat

## **Respiratory protection**

In an emergency (e.g.: unintentional release of the substance) respiratory protection must be worn. Use suitable respiratory equipment such as MSHA/NIOSH TC-21C or NIOSH approved respirator with N, R, P or HE filter. Wear respiratory protection during operations where spraying or misting occurs. If respirators are used, a program should be in place to assure compliance with the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.

## **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

### **Appearance**

Physical state: Viscous liquidColor: Light to dark brownOdor: No specific odourOdor threshold: No data available.

|                               | Value                  | Method         | Temperature | Pressure | Remark   |  |
|-------------------------------|------------------------|----------------|-------------|----------|----------|--|
| рН                            | 2.2 – 2.6              | Measured       | 20 °C       | 1 atm    | 100%     |  |
|                               |                        |                |             |          | solution |  |
| Melting point/freezing        | Not available.         | Not available. |             |          |          |  |
| point                         |                        |                |             |          |          |  |
| Initial boiling point/boiling | Not available.         |                |             |          |          |  |
| range                         |                        |                |             |          |          |  |
| Flash point                   | Not available.         | Not available. |             |          |          |  |
| Evaporation rate              | Not available.         | Not available. |             |          |          |  |
| Flammability (solid, gas)     | Not relevant.          | Not relevant.  |             |          |          |  |
| Upper/lower flammability      | Not relevant.          |                |             |          |          |  |
| or explosive limits           |                        |                |             |          |          |  |
| Vapor pressure                | Not available.         |                |             |          |          |  |
| Vapor density                 | Not available.         |                |             |          |          |  |
| Relative density              | 1.43 – 1.47            | Measured       | 20°C        | 1 atm    | 100%     |  |
|                               |                        |                |             |          | solution |  |
| Solubility(ies)               | 100 % soluble in water |                |             |          |          |  |
| Partition coefficient:        | Not available.         |                |             |          |          |  |
| n-octanol/water               |                        |                |             |          |          |  |
| Auto-ignition temperature     | Not relevant.          |                |             |          |          |  |

### according to ST/SG/AC.10/30/REV.10

Trade name: MANGANESE PHLOEM

Product No: N/A Print date:

Version: 1.0 / EN (New Zealand) Revision date: 24.04.12

| Decomposition        | Not available. |
|----------------------|----------------|
| temperature          |                |
| Viscosity            | Not available. |
| Explosive properties | Not relevant.  |
| Oxidizing properties | Not available. |

#### 9.2 Other information:

Acute effects:

No information on this product.

Chronic effects:

No information on this product.

Substances are not listed in the National Toxicology Program or International Agency for Research on cancer.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No specific test data related to reactivity available for this product.

#### 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

None known.

#### 10.4 Conditions to avoid:

None known.

# 10.5 Incompatible materials:

No information available on this product.

### 10.6 Hazardous decomposition products:

No information available on this product.

## **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

## Main routes of exposure:

No data available for occupational handling.

Acute toxicity: Data for hazardous substances

The mixture does not, within the current knowledge of the supplier, contain substances above their cut-off concentration limit fulfilling the criteria of hazard classes according to the ST/SG/AC.10/30/REV.10 regulation or present a health risk below the cut-off concentration limit.

# Other information

No other information.

### **Assessment Classification**

Based on available data, the classification criteria according to ST/SG/AC.10/30/REV.10 are not met.

#### Hazard classification

| Classification            | Hazard Description  |
|---------------------------|---|
| Acute toxicity            | Based on available data, the classification criteria are not met. |
| Skin corrosion/irritation | Based on available data, the classification criteria are not met. |

### according to ST/SG/AC.10/30/REV.10

Trade name: MANGANESE PHLOEM

Product No: N/A Print date:

Version: 1.0 / EN (New Zealand) Revision date: 24.04.12

| Serious eye damage/irritation | Based on the concentration threshold of the raw material listed, the |  |  |
|-------------------------------|--|--|--|
|                               | mixture is classified as Serious eye damage, Category 1.             |  |  |
| Respiratory sensitization     | Based on available data, the classification criteria are not met.    |  |  |
| Skin sensitization            | Based on available data, the classification criteria are not met.    |  |  |
| Germ cell mutagenicity        | Based on available data, the classification criteria are not met.    |  |  |
| Carcinogenicity               | Based on available data, the classification criteria are not met.    |  |  |
| Reproductive toxicity         | Based on available data, the classification criteria are not met.    |  |  |
| STOT – single exposure        | Based on available data, the classification criteria are not met.    |  |  |
| STOT – repeated exposure      | Based on concentration threshold of the raw material listed, the     |  |  |
|                               | mixture is classified as STOT – repeated exposure, Category 2.       |  |  |
| Aspiration hazard             | Based on available data, the classification criteria are not met.    |  |  |

### Other information:

None known.

# **SECTION 12: Ecological information**

# 12.1 Toxicity:

## **Aquatic toxicity**

Acute (short-term) toxicity to fish

| Raw material          | Effect dose/-<br>concentration | Value    | Test duration | Species      |
|-----------------------|--------------------------------|----------|---------------|--------------|
| Manganese<br>Sulphate | LC50                           | 130 mg/l | 96 hours      | Longfin Dace |

# Acute (short-term) toxicity to crustacea

| Raw material          | Effect dose/-<br>concentration | Value     | Test duration | Species                     |
|-----------------------|--------------------------------|-----------|---------------|-----------------------------|
| Manganese<br>Sulphate | LC50                           | 17,6 mg/l | 48 hours      | Daphina magna               |
| Manganese<br>Sulphate | LC50                           | 22,8 mg/l | 48 hours      | Water Flea<br>Daphnia magna |

# Assessment/Classification

Based on the data available and according to the classification criteria of ST/SG/AC.10/30/REV.10, the mixture is classified as Hazardous to the aquatic environment, Chronic Category 2.

# 12.2 Persistence and degradability

Not classifiable due to data lacking.

## 12.3 Bio accumulative potential

Not classifiable due to data lacking.

# 12.4 Mobility in soil

Not classifiable due to data lacking.

# 12.5 Results of PBT and vPvB assessment

Not classifiable due to data lacking.

# according to ST/SG/AC.10/30/REV.10

Trade name: MANGANESE PHLOEM

Product No: N/A Print date:

Version: 1.0 / EN (New Zealand) Revision date: 24.04.12

#### 12.6 Other adverse effects:

None known.

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

If there is no way of recycling it must be disposed of in compliance with the respective national and local regulations.

Collection of small amounts of product:

Do not put waste into sink or dust bin. Collect in container for toxic, inorganic residues and heavy metals salts and their solution. Adjust product to a pH of 6-8. Collection vessels must be clearly labeled with a systematic description of their contents. Store the vessels in a well-ventilated location. Entrust them to the appropriate authorities for disposal.

## **SECTION 14: Transport information**

**UN Number:** Not applicable

**UN Proper shipping name:** Not applicable

**Transport hazard class:** Not regulated as a dangerous good. **Transport in bulk according to IMO instrument:** Not available.

**DOT:** Not regulated as a hazardous material by DOT.

**IATA:** Not regulated as a dangerous good. **IMDG:** Not regulated as a dangerous good.

Special precautions for user

None known.

Special precautions for user

None known.

#### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

GHS: SANS 10234:2008

## 15.2 Chemical Safety Assessment

No chemical safety assessment was completed for this product.

### **SECTION 16: Other information**

## 16.1 Indication of changes

First version.

# 16.2 Abbreviations and acronyms

ATE Acute Toxicity Estimate

CAS Chemical Abstracts Service (division of the American Chemical Society)

DOT Department of transportation

EC50 Half maximal effective concentration

GHS Globally Harmonised System

IATA International Airport Transport Association
IMDG International Maritime Dangerous Goods

LC50 Lethal concentration required to kill 50% of the population

### according to ST/SG/AC.10/30/REV.10

Trade name: MANGANESE PHLOEM

Product No: N/A Print date:

Version: 1.0 / EN (New Zealand) Revision date: 24.04.12

## 16.3 Key literature references and sources for data

C&L Inventory - ECHA [WWW Document], n.d. URL https://echa.europa.eu/information-on-chemicals/cl-inventory-database (accessed 12.04.24).

GESTIS Substance database [WWW Document], n.d. URL http://gestis-en.itrust.de/nxt/gateway.dll/gestis\_en/000000.xml?f=templates\$fn=default.htm\$vid=gestiseng:sdbeng\$3.0 (accessed 12.04.24).

HAZARD COMMUNICATION: Hazard Classification Guidance for Manufacturers, Importers, and Employers, n.d.

# 16.4 Classification for mixtures and used evaluation method according to ST/SG/AC.10/30/REV.10

Classification based on calculation or concentration thresholds. See SECTION 2.1 (classification).

### 16.5 Relevant R-, H- and EUH-phrases (number and full text)

None

## 16.6 Training advice

Not relevant.

#### 16.7 Further information

This SDS summarizes to the best of our knowledge at the date of issue, the chemical health and safety hazards of the product and general guidance on how to safely handle the material in the workplace.